# BINGHAM INDUSTRIES

STRIPE HOG<sup>®</sup> COMPATIBLE PRODUCTS















ULTRA QUALITY SYSTEMS & SPARES

Stripe Hog is trademark of Waterblasting, LLC Bingham Industries & Stripe Hog have no affiliation and no endorsement by Stripe Hog is implied Products shown on this page are manufactured by Bingham Industries

### 40,000 PSI STYLE



\*\*Bulk pricing available\*\*

### USA

### B 40K Sleeve



#### Compatible with Jetstream 54906, 54907 & 54908

Packing

|        | DESCRIPTION                | BINGHAM # | OEM #  |
|--------|----------------------------|-----------|--------|
|        | #6 Sleeve                  | 537806A   | K54097 |
|        | #7 Sleeve                  | 537807A   | K54098 |
|        | #8 Sleeve                  | 537808A   | K54099 |
| Sleeve | **Bulk pricing available** |           | USA    |

#### 40K Guide Bushing

#### Compatible with Jetstream 27479, 27480 & 27481

|  |         | DESCRIPTION                | BINGHAM # | OEM #  |
|--|---------|----------------------------|-----------|--------|
|  |         | #6 Guide Bushing           | 537606    | K27480 |
|  |         | #7 Guide Bushing           | 537607    | K27481 |
|  |         | #8 Guide Bushing           | 537608    | K27482 |
|  | Bushing | **Bulk pricing available** | *         |        |



### 40,000 PSI STYLE

Stripe Hog is trademark of Waterblasting, LLC Bingham Industries & Stripe Hog have no affiliation and no endorsement by Stripe Hog is implied Products shown on this page are manufactured by Bingham Industries

#### B 40K Face Seal 537400A Compatible with Stripe Hog K54126 Description BMI # OEM # 40,000 PSI Face Seal Assembly 537400A K54126 \*\*Bulk pricing available\*\* 537400A

#### 40K Manifold



| Description         | BMI #  | OEM #  |
|---------------------|--------|--------|
| 40,000 PSI Manifold | 537500 | K53457 |
|                     |        |        |
| 0                   |        | USA    |

537550

537500

#### 40K Gland Nut

#### Compatible with Stripe Hog K54102



537550

537500

\*\*Bulk pricing available\*\*



# **FLUID END REPAIR**

|                  | •••••  | ••••••    |
|------------------|--------|-----------|
| DESCRIPTION      | OEM #  | BINGHAM # |
| Deflector        | K26488 | 151471    |
| Plunger Coupling | K51737 | 151472    |
| Manifold Bolt    | K26501 | 151486    |
| #6 Plunger       | K53562 | 537406    |
| #7 Plunger       | K53563 | 537407    |
| #8 Plunger       | K53564 | 537408    |
|                  |        |           |

| DESCRIPTION                | OEM #  | BINGHAM # |
|----------------------------|--------|-----------|
| Stuffing Box               | K54100 | 537801    |
| Rupture Disc Assy.         | K53506 | 161400A   |
| 1/4″ 50.0K Disc            | K27485 | 161500    |
| 1/4″ 56.0K Disc            | K27486 | 161560    |
| Gauge, 0-60K               | K27489 | 886098    |
| Anti-Vibration Gland Assy. | K28091 | 402016A   |

ULTRA QUALITY SYSTEMS & SPARES

#### **B** 3/8-24 Style - High Cohesive® Style Replacement

#### 2808 Series



# The most commonly used sapphire nozzle in the world, the 3/8-24 sapphire nozzle is versatile and high performing.

Designed with an internal cavity that allows for a better, less turbulent stream of water, the Bingham style 3/8-24 sets the benchmark in performance and durability. All pieces are heat-treated for additional hardness and come with a laser-etch of the sapphire size. Compatible with Stripe-Hog™ Systems

| DESCRIPTION            | SAPPHIRE   | PSI RATING | HEAT TREATED | BINGHAM #   |
|------------------------|------------|------------|--------------|-------------|
| 3/8-24 Sapphire Nozzle | .004043 in | 55,000 PSI | Yes          | 2808 Series |
|                        | 0.1-1.1 mm | 3,800 BAR  |              |             |

2808 Series

\*\*Bulk pricing available\*\*



| DESCRIPTION                           | BINGHAM # | OEM #      |
|---------------------------------------|-----------|------------|
| Nozzle, Low Turbulence; .005 Sapphire | 280805A   | MP4024-005 |
| Nozzle, Low Turbulence; .007 Sapphire | 280807A   | MP4024-007 |
| Nozzle, Low Turbulence; .009 Sapphire | 280809A   | MP4024-009 |
| Nozzle, Low Turbulence; .011 Sapphire | 280811A   | MP4024-011 |
| Nozzle, Low Turbulence; .013 Sapphire | 280813A   | MP4024-013 |
| Nozzle, Low Turbulence; .015 Sapphire | 280815A   | MP4024-015 |
|                                       |           |            |

Stripe Hog is a registered trademark of Waterblasting, LLC

Other Sizes Available

High Cohesive is a registered trademark of AM Gatti, Inc. High Cohesive is a registered trademark of AM Gatti, Inc. Bingham Industries & Stripe Hog have no affiliation and no endorsement by Stripe Hog is implied Bingham Industries & AM Gatti have no affiliation and no endorsement by Am Gatti is implied Products shown on this page are manufactured by Bingham Industries



#### B Hose Connectors



## High quality, hardened hose connectors from Bingham Industries hold up longer than the competition.

Always subject to the best machining practices, even on something as simple as a hose fitting, we make sure to deliver the best possible product every time. Our fittings are made of the highest quality PH grade stainless steel and are never die-cut. As a result, our threads last longer than other manufacturers

| DESCRIPTION             | BINGHAM # | HEAT TREATED | OEM #       |
|-------------------------|-----------|--------------|-------------|
| 9/16 HP x 7/8 Type M    | 402811    | Yes          | FT916HPX78  |
| 9/16 HP x 5mm Type M    | 402815    | Yes          | FT916HPX5MM |
| 7/8 Type M x 7/8 Type M | 402804    | Yes          | FT78X78C    |
| 3/8 HP x 7/8 Type M     | 402813    | Yes          | FT38HPX78   |
| 3/8 HP x 5mm Type M     | 402817    | Yes          | FT38HPX78   |



B UHP Hoses



#### Quality first with thermoplastic hose from Parker Polyflex

Bingham Industries is committed to only providing the highest quality HP and UHP thermoplastic blasting hoses. We offer Parker Polyflex exclusively

| DESCRIPTION                       | BINGHAM #    | OEM #           | <b>PSI RATING</b> |
|-----------------------------------|--------------|-----------------|-------------------|
| 8mm X 5ft; 7/8 Type M; PVC Cover  | 8M44-5-78AG  | HS-40K-7/8-5-C  | 44,000 PSI        |
| 8mm X 22FT; 7/8 Type M; PVC Cover | 8M44-22-78AG | HS-40K-7/8-22-C | 44,000 PSI        |





#### High quality, made-in-America debris bags

| DESCRIPTION              | BINGHAM # | OEM #     |
|--------------------------|-----------|-----------|
| Debris Bag; SH8000 Model | 538101    | 82995-001 |
| Debris Bag; SH7500 Model | 538102    | 82994-001 |

ULTRA QUALITY SYSTEMS & SPARES

#### **Advanced Design**

Minor design and component improvements across the cartridge product line have resulted in major performance and life span improvements while still allowing Bingham Industries to reduce our price point below other manufacturers.



**Manufacturing Performance** High quality manufacturing practices lead to longer product life



**Improved O-Ring Quality** UHP rated o-rings for longer life and better sealing capacity



Better internal seal life Improved sealing technology inside the cartridge body provide for longer life



151200A

Compatible with Stripe Hog® K53476




DESCRIPTION **BINGHAM #** OEM # 40,000 PSI C-40 Dump Cartridge 151200A K53476 151200A \*\*Bulk pricing available\*\*

152300A

### **B** 40K Bypass Cartridge

#### **Compatible with Stripe Hog K53426**



Stripe Hog is trademark of Waterblasting, LLC Bingham Industries & Stripe Hog have no affiliation and no endorsement by Stripe Hog is implied Products shown on this page are manufactured by Bingham Industries



ULTRA QUALITY SYSTEMS & SPARES

| Swivel Tit               |  |  |   |
|--------------------------|--|--|---|
|                          | Compatible with Stripe Hog <sup>®</sup> 50105-00 <sup>°</sup>  | 1  |   |
| photo                    | DESCRIPTION  | BINGHAM # OEM #  |   |
| coming                   | Swivel Tit   | 405896 50105-001   | _ |
| soon                     | 405896 **Bulk p  | ricing available**   |   |
| Swivel Seal              |  |  |   |
| 92.00                    | Compatible with Stripe Hog® 52052-007  | 1  |   |
|                          | DESCRIPTION  | BINGHAM # OEM #  |   |
| 30                       | Swivel Seal  | 405894A 52052-001  | _ |
| 8                        | 405894A **Bulk p   | ricing available**   |   |
| Brass Backup             |  |  |   |
| Brass Backup             | Compatible with Stripe Hog <sup>®</sup> 52100  |  |   |
| Brass Backup             |  | BINGHAM # OEM #  |   |
| Brass Backup             | Compatible with Stripe Hog <sup>®</sup> 52100  | BINGHAM # OEM #<br>405893 52100                            |   |
| Brass Backup             | Compatible with Stripe Hog® 52100           DESCRIPTION           Backup Ring  |  |   |
| Brass Backup             | Compatible with Stripe Hog® 52100           DESCRIPTION           Backup Ring  | 405893 52100   | - |
| Brass Backup             | Compatible with Stripe Hog® 52100           DESCRIPTION           Backup Ring  | 405893 52100   |   |
|                          | Compatible with Stripe Hog® 52100           DESCRIPTION           Backup Ring  | 405893 52100<br>ricing available**                         |   |
| <b>Brass Button Seal</b> | Compatible with Stripe Hog® 52100           DESCRIPTION           Backup Ring           405893   | 405893 52100<br>ricing available**<br>1<br>BINGHAM # OEM # |   |
|                          | Compatible with Stripe Hog® 52100           DESCRIPTION           Backup Ring           405893           **Bulk p           Compatible with Stripe Hog® 52102-00 | 405893 52100<br>ricing available**                         |   |

Bingham Industries & Stripe Hog have no affiliation and no endorsement by Stripe Hog is implied Products shown on this page are manufactured by Bingham Industries

# TERMS & CONDITIONS

ULTRA QUALITY SYSTEMS & SPARES

# **Bingham Industries Warranty**

#### **Limited Warranty**

All products manufactured by Bingham Industries are free from material defects and workmanship for the life of the product, provided it is used in a normal and reasonable manner and in accordance with all operating instructions. All products sold by Bingham Industries that are manufactured by another entity will include the original manufacturers warranty but will not provide any additional product warranty.

#### **Exclusive Remedy**

Should any warranty product fail during the warranty period, Bingham Industries may conduct an examination that discloses, in Bingham Industries sole judgement, whether the item in is question is defective in material and/or factory workmanship. At the conclusion of the examination, Bingham Industries may elect to repair or replace the defective product at Bingham Industries sole discretion. Repairs or replacements are to occur at a Bingham Industries facility or customer workshop approved and authorized by Bingham Industries. Labor is furnished only when the product or item in question is returned to a Bingham Industries facility or when travel and expenses are paid by the purchaser. Freight, travel and expenses incurred in connection with repair or warranty are excluded from this warranty and shall be paid by the purchaser.

#### For more information:

Contact our corporate offices:

2000 Airport Road

Terrell, TX 75160

360-863-1170

### **Bingham Industries Product Information**

#### **Origin & OEM Clarification**

All products listed in this catalog, unless specifically noted, have been designed, manufactured and tested by Bingham Industries. Any reference to other manufacturers, companies, brands or trade names are strictly for informational purposes. None of the manufacturers or companies listed within this document endorse Bingham Industries product line, nor does Bingham Industries imply that any affiliation or endorsement exists.

#### **Trademark Assignment**


The following corporate names, brands, registered trademarks and claimed trademarks are the respective property of their companies, as listed below. They appear within this document for informational purposes only.

High Cohesive is a registered trademark of A.M. Gatti, Inc. of Trenton, NJ.

Stripe Hog is a registred tradenark of Waterblasting, LLC of Stuart, FL



### **Bingham Industries Locations**



#### **Corporate Headquarters** 2000 Airport Road, Terrell, TX 75160

| www.binghamindustries.com |                             |  |
|---------------------------|-----------------------------|--|
| E-mail:                   | sales@binghamindustries.com |  |
| Fax:                      | 360-863-8719                |  |
| Telephone:                | 360-863-1170                |  |

#### Canton, OH

| www.binghamindustries.com |                             |
|---------------------------|-----------------------------|
| E-mail:                   | sales@binghamindustries.com |
| Fax:                      | 360-863-8719                |
| Telephone:                | 330-224-4161                |

#### Winston-Salem, NC

 Telephone:
 336-430-3687

 Fax:
 360-863-8719

 E-mail:
 sales@binghamindustries.com

 www.binghamindustries.com





ULTRA QUALITY SYSTEMS & SPARES

Dallas | Canton | Winston-Salem Phone: (360) 863-1170 E-mail: Sales@binghamindustries.com www.BinghamIndustries.com